Author Index

Aminot, A.

- and Kérouel, R.

Assessment of heat treatment for nutrient preservation in seawater samples 299

Arranz, A

—, Fdz. de Betoño, S., Moreda, J.M., Cid, A. and Arranz, J.F. Voltammetric behaviour of the antimycotic terbinafine at the hanging mercury drop electrode 97

Arranz, J.F., see Arranz, A. 97

Barbosa, J.

—, Fonrodona, G., Marqués, I., Sanz-Nebot, V. and Toro, I. Solvent effects on protonation equilibria of peptides and quinolones by factor analysis applied to the correlation between dissociation constants and solvatochromic parameters in acetonitrile-water mixtures 397

Bartrol, J., see Jiménez, C. 169

Bayona, J.M., see Dachs, J. 377

Bekkers, M., see Dane, A.D. 359

Branica, M., see Pižeta, I. 73

Britz, H.E., see van Staden, J.F. 281

Buydens, L.M.C., see Dane, A.D. 359

Campiglia, A.D.

-, Moreau, F., Hueber, D.M. and Vo-Dinh, T.

Phosphorescence imaging system using an acousto-optic filterbased charge coupled device 229

Cerdà, A.

-, Oms, M.T., Forteza, R. and Cerdà, V.

Total nitrogen determination by flow injection using on-line microwave-assisted digestion 273

Cerdà, V., see Cerdà, A. 273

Chang, W.H.

-, Lee, A.W.M., Lam, Y.S. and Wang, K.M.

Fluorescent sensor based on newly synthesized fluorescein octadecyl ether octadecyl ester (FODEE) for direct determination of phenols in aqueous solutions 197

Chaumery, C.J., see Riso, R.D. 83

Cid, A., see Arranz, A. 97

Cui, H., see He, C. 241

D'Orazio, M.

- and Tonarini, S.

Simultaneous determination of neodymium and samarium in silicate rocks and minerals by isotope dilution inductively coupled plasma mass spectrometry: Results on twenty geochemical reference samples 325

Dachs, J.

—, Fernández, I. and Bayona, J.M.

Combined experimental design and information theory for the optimization of supercritical fluid extraction of organic priority pollutants from sediment 377

Dane, A.D.

—, Janssen, F.E.D.O.R., van Sprang, H.A., Bekkers, M. and Buydens, L.M.C.

A knowledge-controlled method for sequential wavelengthdispersive X-ray spectrometry: a feasibility study 359

de Rooij, N.F., see Jiménez, C. 169

El-Bahnasawy, R.M., see Hassan, S.S.M. 91

Eom, T.Y., see Lee, C.H. 57

Fdz. de Betoño, S., see Arranz, A. 97

Fernández, I., see Dachs, J. 377

Ferreira, V.S.

-, Zanoni, M.V.B., Furlan, M. and Fogg, A.G.

Differential pulse polarographic determination of ceftazidime in urine samples with and without prior extraction 105

Fogg, A.G., see Ferreira, V.S. 105

Fonrodona, G., see Barbosa, J. 397

Forteza, R., see Cerdà, A. 273

Fujikura, T.

-, Sakamoto, K. and Shimozawa, J.T.

The development of the significant peak selection method using the mutual information and its completeness 387

Furlan, M., see Ferreira, V.S. 105

Gámiz-Gracia, L., see Luque de Castro, M.D. 23 Garland, M.

—, Visser, E., Terwiesch, P. and Rippin, D.W.T.

On the number of observable species, observable reactions and observable fluxes in chemometric studies and the role of multi-channel integration 337

Gartu, P.O., see Male, K.B. 159

Georgiou, C.A., see Nouros, P.G. 291

Gong, Z.

- and Zhang, Z.

Determination of tetracyclines with a modified β -cyclodextrin based fluorosensor 205

Guo, S., see Khoo, S.B. 133

Hasebe, Y., see Uchiyama, S. 259

Hassan, S.S.M.

-, El-Bahnasawy, R.M. and Rizk, N.M.

Potentiometric determination of salicylhydroxamic acid (urinary struvite stone inhibitor) based on the inhibition of urease activity 91

He, C.

-, Cui, H. and Zhao, G.

The determination of chlorogenic acid in cigarettes by inhibited chemiluminescence analysis 241

Hill, S.J., see Nickson, R.A. 311

Hsieh, Y.-Z., see Huang, H.-Y. 49

Huang, H.-Y.

- and Hsieh, Y.-Z.

Determination of puerarin, daidzein, paeoniflorin, cinnamic acid, glycyrrhizin, ephedrine, and [6]-gingerol in Ge-gen-tang by micellar electrokinetic chromatography 49

Hueber, D.M., see Campiglia, A.D. 229

Hurtubise, R.J.

Solid-matrix luminescence analysis: photophysics, physicochemical interactions and applications 1

Ishikawa, T., see Uchiyama, S. 259

Janssen, F.E.D.O.R., see Dane, A.D. 359

Jiménez, C.

—, Bartrol, J., de Rooij, N.F. and Koudelka-Hep, M. Use of photopolymerizable membranes based on polyacrylamide hydrogels for enzymatic microsensor construction 169 Joe, K.S., see Lee, C.H. 57

Kamen, A.A., see Male, K.B. 159

Karst, U., see Zurek, G. 247

Kérouel, R., see Aminot, A. 299

Khan, G.F.

- and Wernet, W.

A highly sensitive amperometric creatinine sensor 151 Khoo, S.B.

-, Yap, M.G.S., Huang, Y.L. and Guo, S.

Electrocatalytic oxidation of H₂O₂ at an oxycobalt film modified glassy carbon electrode for fermentation monitoring 133

Kissinger, P.T., see Pfeiffer, D. 127

Koncki, R.

- and Mascini, M.

Screen-printed ruthenium dioxide electrodes for pH measurements 143

Koudelka-Hep, M., see Jiménez, C. 169

Kubota, T.

- and Okutani, T.

Determination of selenium content in natural water by graphite furnace atomic absorption spectrometry after preconcentration with molybdate-form anion exchange resin 319

Lam, Y.S., see Chan, W.H. 197

Lapa, R.A.S.

-, Lima, J.L.F.C., Reis, B.F., Santos, J.L.M. and Zagatto, E.A.G.

Photochemical-fluorimetric determination of folic acid in a multicommutated flow system 223

Le Corre, P., see Riso, R.D. 83

Lee, A.W.M., see Chan, W.H. 197

Lee, C.H.

-, Suh, M.Y., Joe, K.S., Eom, T.Y. and Lee, W.

A chelating resin containing 4-(2-thiazolylazo)resorcinol as the functional group. Chromatographic application to the preconcentration and separation of some trace metal ions including uranium 57

Lee, W., see Lee, C.H. 57

Liang Huang, Y., see Khoo, S.B. 133

Lima, J.L.F.C., see Lapa, R.A.S. 223

Luong, J.H.T., see Male, K.B. 159

Luque de Castro, M.D.

and Gámiz-Gracia, L.

Miniaturisation: a well-defined trend in separation and preconcentration techniques 23

Male, K.B.

-, Gartu, P.O., Kamen, A.A. and Luong, J.H.T.

A flow-injection (FI) mediated biosensor for on-line monitoring of lactate in mammalian cell culture 159

Marqués, I., see Barbosa, J. 397

Mascini, M., see Koncki, R. 143

Matthews, G.P., see McKelvie, I.D. 265

McKelvie, I.D.

-. Peat, D.M.W., Matthews, G.P. and Worsfold, P.J.

Elimination of the Schlieren effect in the determination of reactive phosphorus in estuarine waters by flow-injection analysis 265

Mohr, G.J.

- and Spichiger-Keller, U.E.

Novel fluorescent sensor membranes for alcohols based on p-N,N-dioctylamino-4'-trifluoroacetylstilbene 189

Moreau, F., see Campiglia, A.D. 229

Moreda, J.M., see Arranz, A. 97

Nickson, R.A.

-, Hill, S.J. and Worsfold, P.J.

Behaviour of matrix cations (Ca²⁺, K⁺, Mg²⁺ and Na⁺) during on-line preconcentration and atomic spectrometric detection of trace metals in natural waters 311

Nishimoto, J., see Uchiyama, S. 259

Nouros, P.G.

-, Georgiou, C.A. and Polissiou, M.G.

Automated flow injection spectrophotometric non-aqueous titrimetric determination of the free fatty acid content of olive oil 291

Okutani, T., see Kubota, T. 319

Oms, M.T., see Cerdà, A. 273

Osteryoung, J.G.

- and Wikiel, K.J.

Determination of salmon calcitonin by square wave adsorptive stripping voltammetry 65

Padarauskas, A., see Pozdniakova, S. 41

Paliteiro, C., see Redinha, J.S. 115

Peat, D.M.W., see McKelvie, I.D. 265

Pereira, J.L.C., see Redinha, J.S. 115

Pfeiffer, D.

-, Yang, L., Scheller, F.W. and Kissinger, P.T.

Continuous measurement of lactate in microdialysate 127 Pižeta, I.

- and Branica, M.

Simulation and fitting of anodic stripping voltammetry data for determination of the metal complexing capacity 73

Polissiou, M.G., see Nouros, P.G. 291

Pozdniakova, S.

-, Padarauskas, A. and Schwedt, G.

Simultaneous determination of iron(II) and iron(III) in water by capillary electrophoresis 41

Redinha, J.S.

-, Paliteiro, C. and Pereira, J.L.C.

Determination of sulfide by square-wave polarography 115

Reis, B.F., see Lapa, R.A.S. 223

Rippin, D.W.T., see Garland, M. 337

Riso, R.D.

-, Corre, P.L. and Chaumery, C.J.

Rapid and simultaneous analysis of trace metals (Cu, Pb and Cd) in seawater by potentiometric stripping analysis 83

Rizk, N.M., see Hassan, S.S.M. 91

Sabry, S.M.

Application of computerized compensation method to derivative synchronous spectrofluorimetry. Analysis of floctafenine and floctafenic acid in plasma 211

Sakamoto, K., see Fujikura, T. 387

Santos, J.L.M., see Lapa, R.A.S. 223

Sanz-Nebot, V., see Barbosa, J. 397

Scheller, F.W., see Pfeiffer, D. 127

Schwedt, G., see Pozdniakova, S. 41

Shimozawa, J.T., see Fujikura, T. 387

Spichiger-Keller, U.E., see Mohr, G.J. 189

Suh, M.Y., see Lee, C.H. 57

Terwiesch, P., see Garland, M. 337

Tonarini, S., see D'Orazio, M. 325

Toro, I., see Barbosa, J. 397

Uchiyama, S.

-, Hasebe, Y., Ishikawa, T. and Nishimoto, J.

Formation of a stable adduct between 1,2-benzoquinone and dimethylamine and its application to the spectrophotometric determination of 1,2-benzoquinone 259

van Sprang, H.A., see Dane, A.D. 359

van Staden, J.F.

- and Britz, H.E.

Flow injection spectrophotometric determination of total carbonyls in hydrocarbons by reaction with vanillin 281

Visser, E., see Garland, M. 337

Vo-Dinh, T., see Campiglia, A.D. 229

Wang, K.M., see Chan, W.H. 197

Wernet, W., see Khan, G.F. 151

Wikiel, K.J., see Osteryoung, J.G. 65

Worsfold, P.J., see McKelvie, I.D. 265

Worsfold, P.J., see Nickson, R.A. 311

Yang, L., see Pfeiffer, D. 127

Yang, M.

-, Yau, H.C.M. and Zhu, W.

Response of a thickness-shear mode quartz crystal resonator upon hydrogel formation 177

Yap, M.G.S., see Khoo, S.B. 133

Yau, H.C.M., see Yang, M. 177

Zagatto, E.A.G., see Lapa, R.A.S. 223

Zanoni, M.V.B., see Ferreira, V.S. 105

Zhang, Z., see Gong, Z. 205

Zhao, G., see He, C. 241

Zhu, W., see Yang, M. 177

Zurek, G.

- and Karst, U.

Microplate photometric determination of aldehydes in disinfectant solutions 247

